

Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD
<u>4-in. Rims:</u>			<u>6-in. Rims Continued:</u>			<u>8-in. Rims Continued:</u>			<u>9-in. Rims:</u>		
2.80-4	-	8	8.00-6	-	24	16.50x6.50-8	-	24	480/4.00-9	-	18
4.10 -4	-	8	12.00x6.00-6	-	24	18.00x6.50-8	-	28	6.00-9	-	24
9/3.50-4	-	8	12.00-8.00-6	-	30	18.00x7.00-8	-	24	6.90-9	-	24
<u>5-in. Rims:</u>			12.00x11.00-6	-	36	18.00x8.50-8	-	24	21x8-9	-	36
3.40-5	-	8	13.00x6.50-6	-	24	18.00x9.00-8	-	26	22x12-9	-	40
410/350-5	-	10	14.00x6.00-6	-	24	18.00/9.50-8	-	26	25x11-9	-	44
10.00/4.5-5	-	10	15.00x6.00-6	-	30	18.50-8	-	24	25x12-9	-	48
10.50/5-5	-	10	16.00x4.50-6	-	24	18.50x8.50-8	-	24	25x13-9	-	52
11x3.50-5	-	10	<u>7-in. Rims:</u>			20.00x7.00-8	-	24	<u>10-in. Rims:</u>		
11x4.00-5	-	10	450-7	-	18	20.00x10.00-8	-	30	3.00-10	-	18
11x4.50-5	-	10	480-7	-	18	20.00x11.00-8	-	36	3.50-10	-	18
11x6.00-5	-	18	<u>8-in. Rims:</u>			20.50x7.00-8	-	26	4.50-10	-	24
11x7.00-5	-	24	4.00-8	-	18	20.50x10.00-8	-	36	6.50-10	-	36
11x7.50-5	-	24	4.30-8	-	18	21.00x11.00-8	-	36	7.50-10	-	36
13x5.00-5	-	24	4.80-8	-	18	21.00x12.00-8	-	40	9.00-10	-	48
<u>6-in. Rims:</u>			5.70-8	-	24	22.00x9.00-8	-	36	15.00-10	-	48
4.00-6	-	12	6.00-8	-	24	22.00/11.00-8	-	40	18x9.50-10	-	36
4.10x3.50-6	-	12	16.50-8	-	24				20.50-10	-	66
5.30-6	-	24	16.00x6.50-8	-	24				20.00x8-10	-	32
6.90/6.00-6	-	24	16.00x7.50-8	-	24						

Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD
<u>10-in. Rims Continued:</u>			<u>12-in. Rims:</u>			<u>13-in. Rims:</u>			<u>14-in. Rims Continued:</u>		
20.00x12-10	-	36	155/80-12	8	24	A78-13	12	36	11.00-14	-	78
20.50x 8-10	-	32	3.00-12	-	18	B78-13	12	36	13.00-14	-	90
20/10-10	-	36	4.00-12	-	24	C78-13	16	36	25/8.50-14	-	66
20/14-10	-	40	4.50-12	-	30	<u>14-in. Rims:</u>			<u>15-in. Rims:</u>		
20.50-10	-	66	4.80-12	-	30	B78-14	16	36	4.00-15	-	30
21x7-10	-	24	5.00-12	-	30	C78-14	16	36	5.00-15	-	36
22/8-10	-	30	5.30x12	-	30	D78-14	16	36	5.50-15	-	42
22x10-10	-	36	5.70-12	-	36	E78-14	18	36	5.70-15	-	42
22x11-10	-	36	6.00-12	-	36	F78-14	18	36	5.90-15	-	42
223x8-10	-	36	7.00-12	-	42	G78-14	20	36	6.00-15	-	48
24x11-10	-	36	7.50-12	-	42	H78-14	20	36	6.40-15	-	48
<u>10.5-in. Rims:</u>			8.30-12	-	54	F70-14	20	36	6.70-15	-	48
23-10.5	-	48	10.00-12	-	60	6.00-14	-	42	7.00-15	-	54
<u>11-in. Rims:</u>			23x8-12	-	60	7.00-14	-	48	7.50-15	20	54
23x8-11	-	36	23x9-12	-	66	7.50-14	-	54	7.60-15	-	54
23.5x8-11	-	36	23x10.5-12	-	72	8.00-14	-	54	8.15-15	-	60
24x9-11	-	36	24x12-12	-	72	8.50-14	-	60	8.25-15	-	60
			26x12-12	-	90	9.00-14	-	66	LT225/75-15	16	36
			27x10-12	-	78	9.50-14	-	66	9.00-15	22	66

Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD
<u>15-in. Rims Continued:</u>			<u>15-in. Rims Continued:</u>			<u>16-in. Rims:</u>			<u>16-in. Rims Continued:</u>		
9.5L-15	-	72	30x9.50-15	16	48	4.00-16	-	36	9.00-16	-	72
9.50-15	-	72	31.00x10.50-15	18	48	4.50-16	-	36	9.50-16	-	78
10.00-15	24	72	31.00x11.50-15	18	48	5.00-16	-	42	10.00-16	-	78
11.00-15	32	72	31x12.5-15	-	114	5.50-16	-	42	11.00-16	-	90
12.00-15	24	72	31x13.5-15	-	126	6.00-16	-	48	11.20-16	-	90
12.50-15	-	80	31x15.5-15	-	138	6.50-16	-	54	12.40-16	-	102
14.50-15	-	108	32x11.50-15	20	64	7.00-16	-	54	12.50-16	-	102
25x7.5-15	-	60	32x12-15	-	114	7.20-16	-	60	13.60-16	-	102
25X10.5-15	-	78	33.00x12.50-15	24	48	7.50-16	-	60	<u>16.1-in. Rims:</u>		
25X12.5-15	-	90	35.00x12.50-15	24	48	LT 215/85R-16	16	48	13.50-16.1	-	108
27X8.5-15	-	66	36x13.5-15	-	144	LT 225/85R-16	16	48	13.60-16.1	-	108
27x9.5-15	-	72	38x16-15	-	180	LT 235/85R-16	16	48	18.40-16.1	-	150
27x10.5-15	-	76	57.00x8.50-15	30	48	LT 255/85R-16	16	48	38X19-16.1	-	210
28x9-15	-	84				LT 225/75R-16	16	48	38X20-16.1	-	222
28-13-15	-	100				LT 245/75R-16	16	48			
29.00x9.50-15	16	48				LT 265/75R-16	16	48			
29x10-15	-	48				8.00-16	-	66			
29x12.5-15	-	108				8.25-16	22	60			
						8.30-16	-	66			

Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD
<u>16.5-in. Rims:</u>			<u>18-in. Rims:</u>			<u>19.5-in. Rims Continued:</u>			<u>20-in. Rims Continued:</u>		
10.00-16.5	-	84	4.00-18	-	36	18.00-19.5	64	176	11.50-20	-	144
12.00-16.5	-	102	6.00-18	-	36	19.50-19.5	64	200	12.00-20	48	144
31.00x10.50-16.5	22	48	7.00-18	24	48	40x19-19.5	-	200	12.50-20	-	144
31x11.5-16.5	-	108	7.50-18	22	96	245/70-19.5	40	56	13.00-20	-	144
33.00x12.50-16.5	24	48	10.00-18	32	96	265/70-19.5	40	56	14.00-20	48	144
35x14.5-16.5	-	150	10.50-18	32	96	285/70-19.5	40	58	38x14-20	-	156
<u>17-in. Rims:</u>			11.00-18	32	96	305/70-19.5	40	58	16.00-20	-	162
7.00-17	22	44	12.50-18	40	96	<u>20-in. Rims:</u>			24.00-20	-	240
7.50-17	24	48	13.00-18	48	96	7.00-20	-	80	41x14-20	-	174
8.25-17	24	48	<u>19-in. Rims:</u>			7.50-20	30	80	44x18-20	-	234
<u>17.5-in. Rims:</u>			4.00-19	-	42	8.00-20	-	84	42x25-20	-	312
215/75-17.5	20	40	6.00-19	-	60	8.25-20	30	96	47x25-20	-	348
225/75-17.5	24	64	<u>19.5-in. Rims:</u>			9.00-20	40	96	48x25-20	-	354
235/75-17.5	24	64	7.00-19.5	32	96	9.50-20	-	128	48x26.5-20	-	375
7.00-17.5	24	64	8.00-19.5	32	96	10.00-20	48	144	48x31-20	-	438
8.00-17.5	24	64	9.00-19.5	32	96	10.30-20	48	144	44x41-20	-	534
10.00-17.5	24	64	9.50-19.5	32	96	10.50-20	48	144			
14.00-17.5	-	120	15.00-19.5	48	144	11.00-20	48	144			
36x16-17.5	-	168	16.50-19.5	54	144	11.20-20	-	144			

Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD
<u>21-in. Rims:</u>			<u>22.5-in. Rims Continued:</u>			<u>22.5-in. Rims Continued:</u>			<u>24-in. Rims Continued:</u>		
5.00-21	-	54	12.00-22.5	48	112	425/65-22.5	64	128	13.60-24	-	180
6.00-21	-	60	12.50-22.5	48	112	445/65-22.5	64	128	14.00-24	56	200
12.00-21	-	126	13.00-22.5	48	112				14.90-24	-	200
16.00-21	-	168	15.00-22.5	56	120	<u>23.5-in. Rims:</u>			15.00-24	-	200
21.00-21	-	222	15.50-22.5	-	174	23.00-23.5	-	270	16.00-24	64	200
23.00-21	-	240	16.00-22.5	-	180	<u>24-in. Rims:</u>			16.50-24	-	200
24.00-21	-	252	16.50-22.5	64	128	7.20-24	-	74	16.90-24	-	208
27.25-21	-	288	18.00-22.5	68	144	7.50-24	-	90	17.50-24	-	208
<u>22-in. Rims:</u>			255/80-22.5	48	96	8.30-24	-	102	18.00-24	72	216
7.50-22	-	84	275/80-22.5	48	96	9.00-24	-	108	18.30-24	-	224
8.50-22	-	96	295/80-22.5	48	96	9.50-24	-	114	18.40-24	-	222
10.00-22	48	112	315/80-22.5	52	104	10.00-24	-	144	19.40-24	-	228
11.00-22	48	112	245/75-22.5	48	96	11.00-24	48	144	19.50-24	-	234
12.00-22	48	120	265/75-22.5	48	96	11.20-24	-	144	21.00-24	-	252
<u>22.5-in. Rims:</u>			295/75-22.5	48	96	11.25-24	-	144	<u>24.5-in. Rims:</u>		
8.00-22.5	40	90	295/75-22.5	48	96	11.40-24	-	160	11.00-24.5	48	144
9.00-22.5	40	104	255/70-22.5	48	96	11.50-24	-	160	12.00-24.5	48	144
10.00-22.5	48	112	275/70-22.5	48	96	12.00-24	48	160	13.50-24.5	56	160
11.00-22.5	48	112	365/70-22.5	58	116	12.40-24	-	180			
11.50-22.5	-	120	385/65-22.5	58	116	13.00-24	52	180			

Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD
<u>25-in Rims:</u>			<u>25-in. Rims Continued:</u>			<u>28-in Rims:</u>			<u>30-in. Rims:</u>		
11.00-25	-	138	66x44-25	-	490	11.20-28	-	156	4.00-30	-	60
12.00-25	-	150	67x34-25	-	480	11.25-28	-	156	6.00-30	-	90
13.00-25	-	162	660/34-25	-	512	11.90-28	-	168	7.20-30	-	108
14.00-25	-	174	670/34-25	-	512	12.40-28	-	174	9.50-30	-	144
15.50-25	-	192	445/80-25	-	512	13.60-28	-	192	14.90-30	-	222
16.00-25	-	198	445/95.00-25	-	512	14.90-28	-	210	16.90-30	-	258
17.50-25	-	216	525/80-25	-	512	15.00-28	-	216	17.00-30	-	258
18.00-25	-	228	<u>26-in. Rims:</u>			16.90-28	-	234	18.40-30	-	276
20.50-25	-	258	12.40-26	-	162	17.00-28	-	240	21.00-30	-	318
21.00-25	-	264	13.60-26	-	174	18.40-28	-	258	23.10-30	-	348
22.00-25	-	276	14.90-26	-	192	21.00-28	-	294	67x34-30	-	672
22x65-25	-	420	16.90-26	-	222	<u>29-in. Rims:</u>			480/70-30	-	640
23/90-25	-	612	18.00-26	-	234	21.00-29	-	306	<u>32-in. Rims:</u>		
23.50-25	-	294	18.40-26	-	240	24.00-29	-	348	8.30-32	-	132
24.00-25	-	300	23.10-26	-	300	26.50-29	-	384	9.50-32	-	150
26.50-25	-	330	24.00-26	-	312	29.50-29	-	426	12.40-32	-	198
29.50-25	-	366	28.00-26	-	366	30.00-29	-	438	16.90-32	-	270
61x18-25	-	480	54x31-26	-	492	33.25-29	-	480	24.50-32	-	390
66x43-25	-	480	67x34-26	-	640				30.00-32	-	480
			66x43-26	-	840						

Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD	Tire Size	Fluid Oz. HIGHWAY	Fluid Oz. OFF-ROAD
<u>32-in Rims Continued:</u>			<u>35-in. Rims:</u>			<u>38-in Rims Continued:</u>			<u>46-in. Rims:</u>		
30.50-32	-	486	21.00-35	-	366	16.90-38	-	318	14.90-46	-	348
33.50-32	-	534	24.00-35	-	420	18.40-38	-	348	18.40-46	-	426
35.50-32	-	570	29.50-35	-	516	20.80-38	-	396	420/80-46	-	560
73x44-32	-	702	33.25-35	-	582	710/70-38	-	640	<u>49-in. Rims:</u>		
<u>33-in. Rims:</u>			37.25-35	-	654	<u>39-in. Rims:</u>			18.00-49	-	444
18.00-33	-	300	<u>36-in. Rims:</u>			33.50-39	-	654	21.00-49	-	510
27.00-33	-	444	9.50-36	-	168	37.50-39	-	732	24.00-49	-	588
30.00-33	-	495	11.20-36	-	198	40.50/75-39	-	894	27.00-49	-	660
33.50-33	-	552	12.40-36	-	222	43.50-39	-	846	<u>51-in. Rims:</u>		
37.50-33	-	618	13.60-36	-	240	40/65-39	-	768	30.00-51	-	762
35x65-33	-	672	13.90-36	-	246	41.25/70-39	-	852	33.00-51	-	840
<u>34-in. Rims:</u>			14.90-36	-	270	<u>42-in. Rims:</u>			36.00-51	-	918
11.20-34	-	192	16.90-36	-	306	9.50-42	-	204	37.50-51	-	954
12.40-34	-	210	18.00-36	-	324	12.40-42	-	258	50/65-51	-	960
14.90-34	-	252	<u>38-in. Rims:</u>			18.40-42	-	384	<u>56.5-in. Rims:</u>		
16.90-34	-	288	11.20-38	-	210	18.90-42	-	396	27.00-56.5	-	762
18.40-34	-	312	12.40-38	-	234	20.80-42	-	438	30.00-56.5	-	840
18.50-34	-	318	13.60-38	-	258	<u>43-in. Rims:</u>			<u>57-in. Rims:</u>		
20.80-34	-	354	14.90-38	-	282	24.00-43	-	516	37.00-57	-	1,056
23.10-34	-	390	15.50-38	-	294	<u>45in. Rims:</u>			40.00-57	-	1,144
						45/65-45	-	864	49.50-57	-	1,144
						65/45-45	-	1,120			